

**CONNECTOR REFERENCE GUIDE
BY PART NUMBER PREFIX**

| CONNECTOR PREFIX | SPECIFICATION LISTING | CONNECTOR SERIES | SOURCE |
|-----------------------------|----------------------------------|-----------------------------|-------------------|
| 00-1105-() | MIL-T-81714 | | AIR-LB |
| 06()-()-() | ARINC 600 | "BKAE" | DOUGLAS |
| 10646 | MIL-T-81714 | | JAY-EL PRODUCTS |
| 10-194 | MIL-C-22992 | | BENDIX |
| 10-214 | MIL-C-5015 | 3100 SOLDER | BENDIX |
| 10-244 | MIL-C-5015 | 3100 SOLDER | BENDIX |
| 10-473 | MIL-C-22992 | L | BENDIX |
| 10-60450 | 000300-0445 | | VIKING |
| 10-60450 | 105-100-02 | | METHOD |
| 10-60450 | 82164-1F | | CLOVER ENTERPRISE |
| 10-60479-() | MIL-C-26500 | SHIELDED | BOEING |
| 10-61430-() | AD, AM, AAP | | BOEING |
| 10-72 | MIL-C-5015 | 3100 SOLDER | BENDIX |
| 10-741 | MIL-C-5015 | 3100 SOLDER | BENDIX |
| 10-747 | MIL-C-5015 | 3100 SOLDER | BENDIX |
| 10-873 | MIL-C-5015 | 3100 SOLDER | BENDIX |
| 10-874 | MIL-C-5015 | 3100 SOLDER | BENDIX |
| 10/71 | MIL-C-5015 | 3100 SOLDER | VEAM/LITTON |
| 118 | MIL-C-26482 | 2 | AMPHENOL |
| 118 | MIL-C-83723 | 1 | AMPHENOL |
| 1549 | MIL-STD-1549 | | MATRIX |
| 157 | MIL-C-5015 | 3100 SOLDER | AMPHENOL |
| 172 | MIL-C-5015 | 3100 SOLDER | AMPHENOL |
| 173 | MIL-C-5015 | 3100 SOLDER | AMPHENOL |
| 179 | MIL-C-5015 | 3100 SOLDER | AMPHENOL |
| 191()-() | BACC65K | | METHOD |
| 192()-() | BACC65L | | METHOD |
| 213 | AD, AM, AAP | | AMPHENOL |
| 2133()-1 | 280U()-XX | | AMP, INC. |
| 217 | MIL-C-26518 | | AMPHENOL |
| 229 | MIL-C-22992 | L | AMPHENOL |
| 246 | MIL-C-5015 | 3400 | AMPHENOL |
| 25 | MIL-C-28748 | | CONTINENTAL |
| 251 | MIL-C-26482 | 1 | ITT-CANNON |
| 280U()-XX | 2133()-1 | | BOEING |
| 285T0112 | MIL-T-81714 | | JAY-EL PRODUCTS |
| 300 | MIL-C-28748 | | HUGHES |
| 300()-() | BACC65K() | | INCON |
| 300()-() | BACC65L() | | INCON |
| 348 | MIL-C-81511 | 1 & 2 | AMPHENOL |
| 381 | MIL-C-26482 | 2 | DEUTSCH |
| 418-1 | MIL-C-38999 | 1 | AMPHENOL |
| 418-2 | MIL-C-38999 | 2 | AMPHENOL |
| 421120-45() | YHLZ() BURNDY | | PRECISION CONN. |
| 42250 | MIL-C-5015 | 3400 | MATRIX |
| 450 | MIL-C-26482 | 1 | DEUTSCH |
| 451 | MIL-C-26482 | 1 | SOCAPEX |
| 451120-026 | RELAY SOCKETS | | PRECISION CONN. |
| 451120-027 | RELAY SOCKETS | | PRECISION CONN. |
| 451120-028 | RELAY SOCKETS | | PRECISION CONN. |
| 460 | MIL-C-26482 | 1 | DEUTSCH |
| 48 | MIL-C-26500 | | AMPHENOL |

**CONNECTOR REFERENCE GUIDE
BY PART NUMBER PREFIX**

| CONNECTOR PREFIX | SPECIFICATION LISTING | CONNECTOR SERIES | SOURCE |
|-----------------------------|----------------------------------|-----------------------------|---------------|
| 486 | MIL-C-26482 | 2 | AMPHENOL |
| 518 | MIL-C-83723 | 3 | AMPHENOL |
| 60B40052-() | BURNDY MB | MB | BOEING |
| 69 | MIL-C-5015 | 3100 SOLDER | AMPHENOL |
| 69B41 | MIL-C-26500 | SHIELDED | BOEING |
| 71 | MIL-C-26482 | 1 | BENDIX |
| 815 | MIL-C-81511 | 3 & 4 | DEUTSCH |
| 83723 | MIL-C-83723 | 3 | SOURIAU |
| 851 | MIL-C-26482 | 1 | SOURIAU |
| 8520 | MIL-C-26482 | 2 | SOURIAU |
| 8525.1 | MIL-C-83723 | 1 | SOURIAU |
| 8526 | MIL-C-26482 | 2 | SOURIAU |
| 8527 | MIL-C-83723 | 3 | SOURIAU |
| 8530 | MIL-C-83723 | 3 | SOURIAU |
| 8630 | MIL-C-24308 | | SOURIAU |
| 88-194 | MIL-C-22992 | | BENDIX |
| 891 | MIL-C-5015 | 3450 | SOURIAU |
| 892 | MIL-C-5015 | 3450 | SOURIAU |
| 8LT | MIL-C-38999 | 1 | SOURIAU |
| 8T | MIL-C-38999 | 2 | SOURIAU |
| 9-815 | MIL-C-81511 | 3 & 4 | DEUTSCH CIE |
| 91-483 | MIL-C-26482 | 2 | BENDIX |
| 944() | MIL-C-5015 | 3450 | MATRIX |
| 951() | MIL-C-26482 | 1 | DEUTSCH |
| 97 | MIL-C-5015 | 3100 SOLDER | AMPHENOL |
| 981() | MIL-C-5015 | 3450 | MATRIX |
| 991() | MIL-C-5015 | 3450 | DEUTSCH (FRA) |
| 992() | MIL-C-5015 | 3450 | DEUTSCH (FRA) |
| A815 | MIL-C-81511 | 3 | DEUTSCH |
| AC30-() | MIL-T-81714 | | SANCO SWITCH |
| AC45-() | MIL-T-81714 | | SANCO SWITCH |
| AC60-() | MIL-T-81714 | | SANCO SWITCH |
| AC90-() | MIL-T-81714 | | SANCO SWITCH |
| AE55() | MIL-C-5015 | 3450 | AERO ELECTRIC |
| AE77() | MIL-C-26482 | 2 | AERO ELECTRIC |
| AFD | MIL-C-83723 | 1 | DEUTSCH |
| AFD5 | MIL-C-26482 | 2 | DEUTSCH |
| AL | MIL-C-38999 | 3 | AMPHENOL |
| AMPLIMITE | MIL-C-24308 | | AMP, INC. |
| B | MIL-C-83723 | 3 | PYLE NATIONAL |
| B55 | MIL-C-22992 | L | BURNDY |
| B815 | MIL-C-81511 | 4 | DEUTSCH |
| BACC45 | MIL-C-26500 | | BOEING |
| BACC45FM | MIL-C-26500 | | BOEING |
| BACC45FN | MIL-C-26500 | | BOEING |
| BACC45FP | MIL-C-26500 | | BOEING |
| BACC45FR | MIL-C-26500 | | BOEING |
| BACC45FS | MIL-C-26500 | | BOEING |
| BACC45FT | MIL-C-26500 | | BOEING |
| BACC63AE | MIL-C-26500 | | BOEING |
| BACC63AF | MIL-C-26500 | | BOEING |
| BACC63BD | MIL-C-5015 | 3400 | BOEING |
| BACC63BE | MIL-C-5015 | 3400 | BOEING |

Copyright 2003 Connector Microtooling Systems, Inc.

Telephone: 817-303-8270

Fax: 817-303-8273

Web: www.cms-tools.com

**CONNECTOR REFERENCE GUIDE
BY PART NUMBER PREFIX**

| CONNECTOR PREFIX | SPECIFICATION LISTING | CONNECTOR SERIES | SOURCE |
|-----------------------------|----------------------------------|-----------------------------|-----------------|
| BACC63BN | MIL-C-26500 | | BOEING |
| BACC63BP | MIL-C-26500 | | BOEING |
| BACC63BR | MIL-C-83723 | 3 | BOEING |
| BACC63BT | MIL-C-83723 | 3 | BOEING |
| BACC63BV | MIL-C-26500 | | BOEING |
| BACC63BW | MIL-C-5015 | 3400 | BOEING |
| BACC63BY | MIL-C-5015 | 3400 | BOEING |
| BACC63CB | MIL-C-26500 | | BOEING |
| BACC63CC | MIL-C-26500 | | BOEING |
| BACC63CD | MIL-C-5015 | 3400 | BOEING |
| BACC63CE | MIL-C-5015 | 3400 | BOEING |
| BACC63X | MIL-C-26500 | | BOEING |
| BACC63Y | MIL-C-26500 | | BOEING |
| BACC65K() | INCON 300()-() | | BOEING |
| BACC65K() | METHOD 191 & 192 | | BOEING |
| BACC65L() | INCON 300()-() | | BOEING |
| BACC65L() | METHODE 191 & 192 | | BOEING |
| BACC66E | ARINC 600 | | BOEING |
| BACC66F | ARINC 600 | | BOEING |
| BACC66G | ARINC 600 | | BOEING |
| BACC66H | ARINC 600 | | BOEING |
| BACC66J | ARINC 600 | | BOEING |
| BACC66K | ARINC 600 | | BOEING |
| BACM15C() | YHLZ() | | BURNDY |
| BACS16AF | 451120-02() | REAR RELEASE | PRECISION CONN. |
| BACS16AG | 451120-02() | REAR RELEASE | PRECISION CONN. |
| BACS16AH | 451120-02() | REAR RELEASE | PRECISION CONN. |
| BACS16W | 000300-15() | FRONT RELEASE | VIKING |
| BACS16X | 000300-15() | FRONT RELEASE | VIKING |
| BE | MIL-C-83723 | 3 | PYLE NATIONAL |
| BG | MIL-C-26482 | 1 | BENDIX |
| BKAD | ARINC 600 | | ITT-CANNON |
| BKAE | ARINC 600 | | ITT-CANNON |
| BL | MIL-C-38999 | 4 | G & H TECHNOL. |
| BSK | MIL-C-83723 | 3 | PYLE NATIONAL |
| BT | MIL-C-26482 | 1 | BURNDY |
| BTK | MIL-C-26482 | 1 | DEUTSCH |
| C0909() | MIL-C-26500 | | CINCH |
| C0966() | MIL-C-26500 | | CINCH |
| C21 | MIL-C-85028 | | HUGHES |
| C348 | MIL-C-81511 | 1 & 2 | CINCH |
| C48 | MIL-C-26500 | | CINCH |
| CA-E/R | MIL-C-5015 | 3100 SOLDER | ITT-CANNON |
| CA-RX | MIL-C-5015 | 3100 SOLDER | ITT-CANNON |
| CN00() | MIL-C-38999 | 4 | CINCH |
| CN03() | MIL-C-38999 | 4 | CINCH |
| CN07() | MIL-C-38999 | 4 | CINCH |
| CN0909 | MIL-C-26500 | | CINCH |
| CN0930 | MIL-C-83723 | 3 | CINCH |
| CN1020 | MIL-C-26500 | | CINCH |
| CN1021 | MIL-C-26500 | | CINCH |
| CN()1() | MIL-C-38999 | 4 | CINCH |
| CN()2() | MIL-C-38999 | 4 | CINCH |

Copyright 2003 Connector Microtooling Systems, Inc.

Telephone: 817-303-8270

Fax: 817-303-8273

Web: www.cms-tools.com

**CONNECTOR REFERENCE GUIDE
BY PART NUMBER PREFIX**

| CONNECTOR PREFIX | SPECIFICATION LISTING | CONNECTOR SERIES | SOURCE |
|-----------------------------|----------------------------------|-----------------------------|------------------|
| CN()6() | MIL-C-38999 | 4 | CINCH |
| CT | MIL-C-38999 | 2 | PLESSY |
| CTJ | MIL-STD-1549 | | DEUTSCH |
| CV | MIL-C-5015 | 3450 | ITT-CANNON |
| CV345() | MIL-C-5015 | 3450 | ITT-CANNON |
| CVA | MIL-C-83723 | 2 | ITT-CANNON |
| CWLD | MIL-C-22992 | R | ITT-CANNON |
| D38999/20 | MIL-C-38999 | 3 | MIL SPEC |
| D38999/21 | MIL-C-38999 | 3 | MIL SPEC |
| D38999/22 | MIL-C-38999 | 3 | MIL SPEC |
| D38999/23 | MIL-C-38999 | 3 | MIL SPEC |
| D38999/24 | MIL-C-38999 | 3 | MIL SPEC |
| D38999/25 | MIL-C-38999 | 3 | MIL SPEC |
| D38999/40 | MIL-C-38999 | 4 | MIL SPEC |
| D38999/41 | MIL-C-38999 | 4 | MIL SPEC |
| D38999/42 | MIL-C-38999 | 4 | MIL SPEC |
| D38999/43 | MIL-C-38999 | 4 | MIL SPEC |
| D38999/44 | MIL-C-38999 | 4 | MIL SPEC |
| D38999/45 | MIL-C-38999 | 4 | MIL SPEC |
| D38999/46 | MIL-C-38999 | 4 | MIL SPEC |
| D38999/47 | MIL-C-38999 | 4 | MIL SPEC |
| D38999/48 | MIL-C-38999 | 4 | MIL SPEC |
| D436-36 | MIL-S-81824/1-1 | | RAYCHEM |
| D436-37 | MIL-S-81824/1-2 | | RAYCHEM |
| D436-38 | MIL-S-81824/1-3 | | RAYCHEM |
| D817 | MIL-C-81703 | 3 | DEUTSCH |
| DB | MIL-C-83723 | 3 | DEUTSCH |
| DBA | MIL-C-83723 | 3 | DEUTSCH |
| DBA3 | NAS1599 | THREADED | DEUTSCH |
| DBA5 | NAS1599 | BAYONET | DEUTSCH |
| DBA7 | MIL-C-83723 | 3 | DEUTSCH |
| DBA7 | MIL-C-81703 | 3 | DEUTSCH |
| DC00 thru DC08 | DOUGLAS | "DC" SERIES | DOUGLAS AIRCRAFT |
| DC20 thru DC28 | DOUGLAS | "DC" SERIES | DOUGLAS AIRCRAFT |
| DC30 thru DC37 | DOUGLAS | "DC" SERIES | DOUGLAS AIRCRAFT |
| DC50 thru DC53 | DOUGLAS | "DC" SERIES | DOUGLAS AIRCRAFT |
| DC54 thru DC57 | DOUGLAS | "DC" SERIES | DOUGLAS AIRCRAFT |
| DC60 thru DC63 | DOUGLAS | "DC" SERIES | DOUGLAS AIRCRAFT |
| DD | MIL-C-81703 | 2 | DEUTSCH |
| DIV | MIL-C-38999 | 4 | DEUTSCH |
| DJT | MIL-C-38999 | 1 | DEUTSCH |
| DL | MIL-C-83723 | 3 | DEUTSCH |
| DPK | MIL-C-83733 | | ITT-CANNON |
| DPX()MA | ARINC 404 | REAR RELEASE | ITT-CANNON |
| DPX()ME | ARINC 404 | REAR RELEASE | ITT-CANNON |
| DPX()NA | MIL-C-81659 | 3 | ITT-CANNON |
| DPX()NE | MIL-C-81659 | 2 | ITT-CANNON |
| DTS | MIL-C-38999 | 3 | DEUTSCH |
| D()MA | MIL-C-24308 | | ITT-CANNON |
| D()MA | MIL-C-24308 | | CINCH |
| D()MM | MIL-C-24308 | | CINCH |
| EB | MIL-C-26500 | | PYLE NATIONAL |
| EK | MIL-C-28748 | | AIRBORNE |

Copyright 2003 Connector Microtooling Systems, Inc.

Telephone: 817-303-8270

Fax: 817-303-8273

Web: www.cms-tools.com

**CONNECTOR REFERENCE GUIDE
BY PART NUMBER PREFIX**

| CONNECTOR PREFIX | SPECIFICATION LISTING | CONNECTOR SERIES | SOURCE |
|-----------------------------|----------------------------------|-----------------------------|---------------|
| ET | MIL-C-26500 | | PYLE NATIONAL |
| FC | MIL-C-5015 | 3400 | FLIGHT |
| FDBA | MIL-C-83723 | 3 | DEUTSCH |
| FDBA | NAS1599 | | DEUTSCH |
| FE | MIL-C-5015 | 3400 | FLIGHT |
| FFO() | MIL-C-5015 | 3400 | FLIGHT |
| FF5() | MIL-C-5015 | 3450 | FLIGHT |
| FH | MIL-C-5015 | 3400 | FLIGHT |
| FK | MIL-C-5015 | 3400 | FLIGHT |
| FMJ | MIL-T-81714 | | DEUTSCH |
| FPK | MIL-C-26500 | | PYLE NATIONAL |
| FPL | MIL-C-26500 | | PYLE NATIONAL |
| FRA | MIL-C-5015 | 3400 | ITT-CANNON |
| FRF | MIL-C-5015 | 3400 | ITT-CANNON |
| FVA | MIL-C-5015 | 3400 | ITT-CANNON |
| FVF | MIL-C-5015 | 3400 | ITT-CANNON |
| FZ | MIL-C-5015 | 3400 | FLIGHT |
| G | MIL-C-26482 | 1 | BURNDY |
| GC | MIL-C-26482 | 1 | GENERAL |
| GDE | MIL-C-24308 | | ITT-CANNON |
| GS | MIL-C-28840 | | HUGHES |
| GT | MIL-C-28840 | | HUGHES |
| G()MM | MIL-C-24308 | | GENERAL |
| HD | MIL-C-28840 | | SAE |
| HDC-20 | MIL-C-24308 | | AMP, INC. |
| HDD-22 | MIL-C-24308 | | AMP, INC. |
| HDM-20 | MIL-C-24308 | | AMP, INC. |
| HD-20 | MIL-C-24308 | | AMP, INC. |
| HM274 | MIL-C-38999 | 2 | SAE |
| HM2746 | MIL-C-38999 | 1 | SAE |
| HTMF | MIL-C-83723 | 3 | ITT-CANNON |
| JT | MIL-C-38999 | 2 | BENDIX |
| JT-R | MIL-C-38999 | 2 | SOCAPEX |
| K | MIL-C-28748 | | AIRBORN |
| KFS | MIL-C-28840 | | ITT-CANNON |
| KJ | MIL-C-38999 | 2 | ITT-CANNON |
| KJA | MIL-C-38999 | 3 | ITT-CANNON |
| KJL | MIL-C-38999 | 1 | ITT-CANNON |
| KPSE | MIL-C-26482 | 1 | ITT-CANNON |
| KPT | MIL-C-26482 | 1 | ITT-CANNON |
| KV | NAS1599 | THREADED | ITT-CANNON |
| LCT | MIL-C-38999 | 1 | PLESSY |
| LJ | MIL-C-38999 | 2 | BURNDY |
| LJT | MIL-C-38999 | 1 | BENDIX |
| LL | MIL-C-81511 | 3 & 4 | DEUTSCH |
| LPT | MIL-C-26482 | 1 | DEUTSCH |
| L()T() | MIL-C-26482 | 1 | BURNDY |
| M-T | MIL-C-26482 | 1 | BURNDY |
| M | MIL-C-81659 | | AMP, INC. |
| M() & M00() | MIL-C-5015 | 3400 | SAE |
| M24308/ | MIL-C-24308 | | MIL SPEC |
| M28748/ | MIL-C-28748 | | MIL SPEC |
| M28804/ | MIL-C-28804 | | MIL SPEC |

Copyright 2003 Connector Microtooling Systems, Inc.

Telephone: 817-303-8270

Fax: 817-303-8273

Web: www.cms-tools.com

**CONNECTOR REFERENCE GUIDE
BY PART NUMBER PREFIX**

| CONNECTOR PREFIX | SPECIFICATION LISTING | CONNECTOR SERIES | SOURCE |
|-------------------------|------------------------------|-------------------------|---------------|
| M28804/1 | MIL-C-28804 | | MIL SPEC |
| M28840/10 thru /29 | MIL-C-28840 | | MIL SPEC |
| M38999/20 thru /27 | MIL-C-38999 | 3 | MIL SPEC |
| M38999/40 thru /47 | MIL-C-38999 | 4 | MIL SPEC |
| M50() | MIL-C-5015 | 3450 | SAE |
| M55302() | MIL-C-55302 | | MIL SPEC |
| M723 | MIL-C-83723 | 2 | MATRIX |
| M81511/01 thru /06 | MIL-C-81511 | 2 | MIL SPEC |
| M81511/21 thru /26 | MIL-C-81511 | 1 | MIL SPEC |
| M81511/41 thru /49 | MIL-C-81511 | 3 | MIL SPEC |
| M81511/50 thru /57 | MIL-C-81511 | 4 | MIL SPEC |
| M81659/1 thru /28 | MIL-C-81659 | 1 | MIL SPEC |
| M81659/29 thru /72 | MIL-C-81659 | 2 | MIL SPEC |
| M81714 | MIL-T-81714 | | DEUTSCH |
| M81714 | MIL-T-81714 | | MATRIX |
| M83723/17 thru /53 | MIL-C-83723 | 2 | MIL SPEC |
| M83723/65 thru /98 | MIL-C-83723 | 3 | MIL SPEC |
| M83733 | MIL-C-83733 | | MIL SPEC |
| M85028 | MIL-C-85028 | | MIL SPEC |
| MB1 | MIL-C-26482 | 2 | MATRIX |
| MB3 | MIL-C-83723 | 3 | MATRIX |
| MB91 | MIL-C-38999 | 1 | MATRIX |
| MB92 | MIL-C-38999 | 2 | MATRIX |
| MD | MIL-C-24308 | | MATRIX |
| MD308 | MIL-C-24308 | | MATRIX |
| MF | MIL-C-83723 | 3 | ITT-CANNON |
| MFR | MIL-C-5015 | 3400 | MATRIX |
| MHD | MIL-C-22992 | L | MATRIX |
| MIL-S-22885-P | MIL-T-81714 | | MIL SPEC |
| MIL-S-22885-S | MIL-STD-1549 | | MIL SPEC |
| MIL-S-83383-P | MIL-T-81714 | | MIL SPEC |
| MIL-S-83383-S | MIL-STD-1549 | | MIL SPEC |
| MIL-S-83731-P | MIL-T-81714 | | MIL SPEC |
| MIL-S-83731-S | MIL-STD-1549 | | MIL SPEC |
| MIL-S-8805-P | MIL-T-81714 | | MIL SPEC |
| MIL-S-8805-S | MIL-STD-1549 | | MIL SPEC |
| MK12 | MIL-C-26482 | 1 | PLESSY |
| MK24 | MIL-C-38999 | 1 | PLESSY |
| MK25 | MIL-C-38999 | 2 | PLESSY |
| ML94 | MIL-C-38999 | 4 | MATRIX |
| MM | MIL-C-81659 | | AMP, INC. |
| MME | MIL-C-81659 | | AMP, INC. |
| MMM | MIL-C-28748 | | CONTINENTAL |
| MQ3 | MIL-C-83723 | 3 | MATRIX |
| MRAC | MIL-C-28748 | | WINCHESTER |
| MRFB | MIL-T-81714 | | MATRIX |
| MRS()300 | MIL-C-28748 | | HUGHES |
| MRTB | MIL-T-81714 | | MATRIX |
| MS1734()- | MIL-C-22992 | R | MIL SPEC |
| MS200()- | MIL-C-27599 | SOLDER | MIL SPEC |
| MS2426()- | MIL-C-26500 | | MIL SPEC |
| MS2428()- | MIL-C-26518 | | MIL SPEC |
| MS27034 | MIL-C-26500 | SOLDER | MIL SPEC |

Copyright 2003 Connector Microtooling Systems, Inc.

Telephone: 817-303-8270

Fax: 817-303-8273

Web: www.cms-tools.com

**CONNECTOR REFERENCE GUIDE
BY PART NUMBER PREFIX**

| CONNECTOR PREFIX | SPECIFICATION LISTING | CONNECTOR SERIES | SOURCE |
|-----------------------------|----------------------------------|-----------------------------|---------------|
| MS2733()- | MIL-C-27599 | SOLDER | MIL SPEC |
| MS2746()- | MIL-C-38999 | 1 | MIL SPEC |
| MS2747()- | MIL-C-38999 | 2 | MIL SPEC |
| MS27480 | MIL-C-38999 | 2 | MIL SPEC |
| MS27481 | MIL-C-38999 | 2 | MIL SPEC |
| MS27482 | MIL-C-38999 | 2 | MIL SPEC |
| MS27484 | MIL-C-38999 | 2 | MIL SPEC |
| MS27496 | MIL-C-38999 | 1 | MIL SPEC |
| MS27497 | MIL-C-38999 | 2 | MIL SPEC |
| MS27498 | MIL-C-38999 | 1 | MIL SPEC |
| MS27499 | MIL-C-38999 | 2 | MIL SPEC |
| MS27500 | MIL-C-38999 | 2 | MIL SPEC |
| MS27504 | MIL-C-38999 | 2 | MIL SPEC |
| MS27505 | MIL-C-38999 | 1 | MIL SPEC |
| MS27508 | MIL-C-38999 | 2 | MIL SPEC |
| MS27513 | MIL-C-38999 | 2 | MIL SPEC |
| MS27515 | MIL-C-38999 | 1 | MIL SPEC |
| MS2761()- | MIL-C-26500 | | MIL SPEC |
| MS2765()- | MIL-C-38999 | 1 | MIL SPEC |
| MS27661 | MIL-C-38999 | 1 | MIL SPEC |
| MS27662 | MIL-C-38999 | 1 | MIL SPEC |
| MS27664 | MIL-C-38999 | 2 | MIL SPEC |
| MS27665 | MIL-C-38999 | 1 | MIL SPEC |
| MS27667 | MIL-C-38999 | 2 | MIL SPEC |
| MS3100 | MIL-C-5015 | 3100 SOLDER | MIL SPEC |
| MS3101 | MIL-C-5015 | 3100 SOLDER | MIL SPEC |
| MS3102 | MIL-C-5015 | 3100 SOLDER | MIL SPEC |
| MS3103 | MIL-C-5015 | 3100 SOLDER | MIL SPEC |
| MS3105 | MIL-C-5015 | 3100 SOLDER | MIL SPEC |
| MS3106 | MIL-C-5015 | 3100 SOLDER | MIL SPEC |
| MS3107 | MIL-C-5015 | 3100 SOLDER | MIL SPEC |
| MS3108 | MIL-C-5015 | 3100 SOLDER | MIL SPEC |
| MS3110 | MIL-C-26482 | 1 | MIL SPEC |
| MS3111 | MIL-C-26482 | 1 | MIL SPEC |
| MS3112 | MIL-C-26482 | 1 | MIL SPEC |
| MS3113 | MIL-C-26482 | 1 | MIL SPEC |
| MS3114 | MIL-C-26482 | 1 | MIL SPEC |
| MS3115 | MIL-C-26482 | 1 | MIL SPEC |
| MS3116 | MIL-C-26482 | 1 | MIL SPEC |
| MS3119 | MIL-C-26482 | 1 | MIL SPEC |
| MS312()- | MIL-C-26482 | 1 | MIL SPEC |
| MS313()- | MIL-C-81703 | 2 | MIL SPEC |
| MS3140 | MIL-C-81703 | 2 | MIL SPEC |
| MS3142 | MIL-C-5015 | 3100 SOLDER | MIL SPEC |
| MS3143 | MIL-C-5015 | 3100 SOLDER | MIL SPEC |
| MS3144 | MIL-C-81703 | 2 | MIL SPEC |
| MS3145 | MIL-C-81703 | 3 | MIL SPEC |
| MS3146 | MIL-C-81703 | 3 | MIL SPEC |
| MS3147 | MIL-C-81703 | 2 | MIL SPEC |
| MS3148 | MIL-C-81703 | 2 | MIL SPEC |
| MS3149 | MIL-C-81703 | 3 | MIL SPEC |
| MS340()- | MIL-C-5015 | 3400 | MIL SPEC |
| MS3412 | MIL-C-5015 | 3400 | MIL SPEC |

Copyright 2003 Connector Microtooling Systems, Inc.

Telephone: 817-303-8270

Fax: 817-303-8273

Web: www.cms-tools.com

**CONNECTOR REFERENCE GUIDE
BY PART NUMBER PREFIX**

| CONNECTOR PREFIX | SPECIFICATION LISTING | CONNECTOR SERIES | SOURCE |
|-----------------------------|----------------------------------|-----------------------------|-----------------|
| MS3424 | MIL-C-81703 | 3 | MIL SPEC |
| MS3440 | MIL-C-26482 | 2 | MIL SPEC |
| MS3442 | MIL-C-26482 | 2 | MIL SPEC |
| MS3443 | MIL-C-26482 | 2 | MIL SPEC |
| MS3445 | MIL-C-81703 | 2 | MIL SPEC |
| MS3446 | MIL-C-81703 | 3 | MIL SPEC |
| MS3447 | MIL-C-81703 | 3 | MIL SPEC |
| MS3449 | MIL-C-26482 | 2 | MIL SPEC |
| MS345()- | MIL-C-5015 | 3450 | MIL SPEC |
| MS346()- | MIL-C-81703 | 3 | MIL SPEC |
| MS347()- | MIL-C-26482 | 2 | MIL SPEC |
| MS9055()- | MIL-C-22992 | L | MIL SPEC |
| MT3 | MIL-C-83723 | 3 | MATRIX |
| MT93 | MIL-C-38999 | 3 | MATRIX |
| MT94 | MIL-C-38999 | 4 | MATRIX |
| MTGE | MIL-T-81714 | | MATRIX |
| MWS | MIL-T-81714 | | MATRIX |
| NAS1641 | NAS1599 | THREADED | MIL SPEC |
| NAS1642 | NAS1599 | THREADED | MIL SPEC |
| NAS1643 | NAS1599 | THREADED | MIL SPEC |
| NAS1650 | NAS1599 | BAYONET | MIL SPEC |
| NAS1651 | NAS1599 | BAYONET | MIL SPEC |
| NAS1652 | NAS1599 | BAYONET | MIL SPEC |
| NAS1653 | NAS1599 | BAYONET | MIL SPEC |
| NAS1692 | NAS1599 | THREADED | MIL SPEC |
| NAS1693 | NAS1599 | THREADED | MIL SPEC |
| NAS1694 | NAS1599 | THREADED | MIL SPEC |
| NAS1699 | NAS1599 | BAYONET | MIL SPEC |
| NAS1700 | NAS1599 | BAYONET | MIL SPEC |
| NAS1702 | NAS1599 | BAYONET | MIL SPEC |
| NB | MIL-C-26482 | 2 | NASA |
| NC | MIL-C-28840 | | G & H TECHNOL. |
| NIC66 | ARINC 600 | | AMP, INC. |
| NS | ARINC 600 | | RADIALL |
| PL | MIL-C-38999 | 4 | FLIGHT |
| PPN | MIL-C-26482 | 1 | PLESSY |
| PT | MIL-C-26482 | 1 | SOCAPEX |
| PT | MIL-C-26482 | 1 | BENDIX |
| PTGS | MIL-C-26482 | 2 | BENDIX |
| PTPS | MIL-C-26482 | 2 | BENDIX |
| PTS | MIL-C-26482 | 2 | BENDIX |
| PT()CE | MIL-C-26482 | 1 & 2 | BENDIX |
| PT()CE | MIL-C-26482 | 1 & 2 | SOCAPEX |
| PT()SE | MIL-C-26482 | 1 | SOCAPEX |
| PT()SE | MIL-C-26482 | 1 | BENDIX |
| PV7 | MIL-C-26482 | 2 | ITT-CANNON |
| PVA | MIL-83723 | 1 | ITT-CANNON |
| PV | MIL-C-26482 | 2 | ITT-CANNON |
| PV-S | MIL-C-83723 | 1 | ITT-CANNON (GB) |
| PVW | NAS1599 | BAYONET | ITT-CANNON |
| QWLD | MIL-C-22992 | R | BENDIX |
| R | MIL-C-81659 | | AMP, INC. |
| RA | MIL-C-28804 | | HUGHES |

Copyright 2003 Connector Microtooling Systems, Inc.

Telephone: 817-303-8270

Fax: 817-303-8273

Web: www.cms-tools.com

**CONNECTOR REFERENCE GUIDE
BY PART NUMBER PREFIX**

| CONNECTOR PREFIX | SPECIFICATION LISTING | CONNECTOR SERIES | SOURCE |
|-----------------------------|----------------------------------|-----------------------------|-----------------|
| RA | MIL-C-81659 | | AMP, INC. |
| RB | MIL-C-28804 | | HUGHES |
| RD | MIL-C-24308 | | POSITRONIC |
| RJ | MIL-C-28804 | | HUGHES |
| RK | MIL-C-28804 | | HUGHES |
| RM | MIL-C-81659 | | AMP, INC. |
| RMAE | MIL-C-81659 | | AMP, INC. |
| RME | MIL-C-81659 | | AMP, INC. |
| RUMI | MIL-C-28748 | | U.S. COMPONENTS |
| S231T290 | MIL-T-81714 | | WESTERN |
| S231T300 | MIL-T-81714 | | WESTERN |
| S6 | ARINC 600 | | SOURIAU |
| SA | MIL-C-5015 | 3400 | SAE |
| SC | MIL-C-5015 | 3100 SOLDER | BENDIX |
| SPT | MIL-C-26482 | 1 | SOCAPEX |
| S()MA | MIL-C-24308 | | SOURIAU |
| S()NA | MIL-C-24308 | | SOURIAU |
| SM | MIL-C-5015 | 3100 SOLDER | BENDIX |
| T3 | MIL-C-38999 | 3 | PYLE NATIONAL |
| T55 | MIL-C-5015 | 3450 | TJ ELECTRONICS |
| TB | MIL-C-83723 | 3 | TJ ELECTRONICS |
| TCT | MIL-C-38999 | 3 | PLESSY |
| TJ | MIL-T-81714 | | DEUTSCH |
| TR | MIL-C-81659 | | TRI-STAR |
| TRE | MIL-C-81659 | | TRI-STAR |
| TRNE | MIL-C-81659 | | TRI-STAR |
| TT | MIL-C-83723 | 3 | TJ ELECTRONICS |
| TV | MIL-C-38999 | 3 | BENDIX |
| URC | MIL-C-28748 | | U.S. COMPONENTS |
| VB()1Z | MIL-R-6106 | | VIKING |
| VPT | MIL-C-26482 | 1 | VEAM |
| VPT-SE | MIL-C-26482 | 1 | VEAM |
| VUT | MIL-C-26482 | 2 | VEAM |
| WFB | MIL-C-5015 | 3400 | ITT-CANNON |
| WFS | MIL-C-5015 | 3400 | ITT-CANNON |
| WK | MIL-C-28748 | | AIRBORN |
| XAC | MIL-C-28748 | | WINCHESTER |
| ZZ | MIL-C-26500 | | PYLE NATIONAL |
| ZZB | MIL-C-26500 | | PYLE NATIONAL |
| ZZL | MIL-C-26500 | | PYLE NATIONAL |
| ZZW | MIL-C-26500 | | PYLE NATIONAL |
| ZZY | MIL-C-26500 | | PYLE NATIONAL |